



Serial No.: 10/656,706
Attorney Docket No. 02-003

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings in the application:


1. (Currently amended) A method of synthesizing a compound having the formula:



comprising the step of:

reacting a N-vinylformamide salt

having the formula



with a compound having the formula XR^1R^2 ~~XRR^4~~ , wherein X is Br, Cl or I, M is an alkali metal or an alkali earth metal, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-\text{OR}^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-\text{C}(\text{O})\text{R}^4$, $-\text{C}(\text{O})\text{OR}^4$, $-\text{OC}(\text{O})\text{R}^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are

Serial No.: 10/656,706
Attorney Docket No. 02-003

independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

2. (Original) The method of claim 1 wherein the N-vinylformamide salt is formed by reacting an alkali metal base or an alkali earth metal base with N-vinylformamide.

3. (Original) The method of claim 2 wherein the alkali metal base is *t*-BuOK and the N-vinylformamide salt is N-vinylformamide potassium salt.

4. (Original) The method of claim 1 wherein X is Br.

5. (Original) The method of claim 1 wherein R^1 is a C1-C10 alkylene group.

6. (Original) The method of claim 1 wherein R^2 is a C1-C10 alkyl group.


7. (Original) The method of claim 1 wherein R^1 is a C1-C10 perfluoroalkylene group.

8. (Original) The method of claim 1 wherein R^2 is a C1-C10 perfluoroalkyl group.

9. (Original) The method of claim 1 wherein R^2 is a phthalimide group.

10. (Original) The method of claim 1 wherein M is K or Na.

11. (Withdrawn) A method of synthesizing a copolymer comprising the step of reacting a compound having the formula:




with at least one vinyl compound having at least one vinyl group, wherein R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group,

Serial No.: 10/656,706
Attorney Docket No. 02-003

an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.


12. (Withdrawn) The method of claim 11 wherein the vinyl compound is N-vinylformamide.

13. (Withdrawn) The method of Claim 12 wherein the copolymer includes the following repeat units:



wherein m and n are integers.

14. (Withdrawn) The method of claim 13 further comprising the step of hydrolyzing the copolymer to form a copolymer having the repeat units:




15. (Withdrawn) The method of Claim 14 wherein the hydrolysis occurs in acidic or basic conditions.

16. (Withdrawn) The method of claim 11 wherein the vinyl compound has the formula $CH_2=CH-R^6$, wherein R^6 is $-OC(O)-CH_3$, $-C(O)-O-R^7$, wherein R^7 is an alkyl group, or $-C(O)OH$.

Serial No.: 10/656,706
Attorney Docket No. 02-003


17. (Withdrawn) The method of claim 16 wherein R^7 is a methyl group.

18. (Withdrawn) A polymer having the formula:




wherein m is an integer, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

19. (Withdrawn) A copolymer produced by reaction of a compound having the formula:




with N-vinylformamide, wherein the copolymer includes the following repeat units:




Serial No.: 10/656,706
Attorney Docket No. 02-003

and wherein m and n are independently, integers, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

20. (Withdrawn) The copolymer of Claim 18 wherein the copolymer is hydrolyzed to from a copolymer with the repeat units:



21. (Withdrawn) A polymer having the formula:




wherein m is an integer, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a

Serial No.: 10/656,706
Attorney Docket No. 02-003


phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-\text{C}(\text{O})\text{R}^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

22. (Withdrawn) A polymer having the formula:



wherein m is an integer, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-\text{OR}^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-\text{C}(\text{O})\text{R}^4$, $-\text{C}(\text{O})\text{OR}^4$, $-\text{OC}(\text{O})\text{R}^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-\text{C}(\text{O})\text{R}^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group, the polymer having end groups that are either .

23. (Withdrawn) A random copolymer including the following repeat units:




and wherein m , n , o and p are independently, integers, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-\text{OR}^3$, wherein, R^3 is an alkyl group, a

Serial No.: 10/656,706
Attorney Docket No. 02-003


fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

24. (Withdrawn) A polymer including the following repeat units:



and wherein m and n are independently, integers, R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein, R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

25. (Withdrawn) A compound having the formula:



wherein R^1 is a C0-C25 alkylene group, a C0-C25 fluoroalkylene group or a C0-C25 perfluoro alkylene group, R^2 is H, provided R^1 is not absent, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, an aryl group, a hydroxy group, a polyether group, a

Serial No.: 10/656,706
Attorney Docket No. 02-003

heterocyclic group of 5 or 6 atoms wherein at least one of the atoms is not a carbon and is N, O, or S, $-OR^3$, wherein R^3 is an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, $-C(O)R^4$, $-C(O)OR^4$, $-OC(O)R^4$, wherein R^4 is an H, an alkyl group, a fluoroalkyl group, a perfluoroalkyl group, or an aryl group, a phthalimide group or NR^5R^5 wherein R^5 and R^5 are independently H, $-C(O)R^4$, an alkyl, a fluoroalkyl group, a perfluoroalkyl group or an aryl group.

26. (Withdrawn) The compound of claim 25 wherein X is Br.

27. (Withdrawn) The compound of claim 25 wherein R^1 is a C1-C10 alkylene group.

28. (Withdrawn) The compound of claim 25 wherein R^2 is a C1-C10 alkyl group.

29. (Withdrawn) The compound of claim 25 wherein R^1 is a C1-C10 perfluoroalkylene group.

30. (Withdrawn) The compound of claim 25 wherein R^2 is a C1-C10 perfluoroalkyl group.

31. (Withdrawn) The compound of claim 25 wherein R^2 is a phthalimide group.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.